

<b>2008 Buck Harvest Data</b> <b>Angelo State University</b>
---

Age	Weight	Points	Left Beam	Right Beam	Spread	B & C Score
0.5	45	0				
<b>1.5</b>	<b>75</b>	<b>2</b>				
<b>1.5</b>	<b>85</b>	<b>2</b>				
<b>1.5</b>	<b>70</b>	<b>2</b>				
<b>1.5</b>	<b>85</b>	<b>2</b>				
<b>1.5</b>	<b>80</b>	<b>2</b>				
<b>1.5</b>	<b>65</b>	<b>2</b>				
<b>1.5</b>	<b>60</b>	<b>3</b>				
<b>1.5</b>	<b>80</b>	<b>4</b>				
2.5	110	8	17	17.6	17	<b>105</b>
2.5	115	8	19.5	18	15	<b>109</b>
2.5	105	8	20	19.5	17.5	<b>110</b>
<b>3.5</b>	<b>75</b>	<b>4</b>				
3.5	110	10	20.1	19.0	17.8	<b>130</b>
3.5	135	8	20.7	20.5	16.2	<b>122</b>
3.5	110	8	19.5	19.3	15.5	<b>118</b>
4.5	155	8	19.6	20.6	17.1	<b>130</b>
4.5	125	10	20.4	19.9	15.4	<b>131</b>
4.5	120	10.0	22.2	19.8	19.5	<b>133</b>
5.5	165	12	21.5	21.0	16.2	<b>151</b>
6.5	140	11	22.0	22.2	19.1	<b>152</b>

Deer in bold were harvested as "Cull Bucks"

Averages

<b>3.9</b>	<b>122.1</b>	<b>8.8</b>	<b>20.2</b>	<b>19.8</b>	<b>16.9</b>	<b>126.5</b>
<b>Mature Buck Ave</b>						<b>139</b>

<b>2009 Buck Harvest Data</b> <b>Angelo State University</b>
---

Age	Weight	Points	Left Beam	Right Beam	Spread	B & C Score
<b>1.5</b>	<b>70</b>	<b>2</b>				
<b>1.5</b>	<b>70</b>	<b>2</b>				
<b>1.5</b>	<b>85</b>	<b>2</b>				

<b>1.5</b>	<b>70</b>	<b>2</b>				
<b>1.5</b>	<b>70</b>	<b>3</b>				
<b>1.5</b>	<b>80</b>	<b>2</b>				
<b>1.5</b>	<b>70</b>	<b>2</b>				
<b>1.5</b>	<b>75</b>	<b>2</b>				
<b>1.5</b>	<b>55</b>	<b>2</b>				
<b>1.5</b>	<b>60</b>	<b>2</b>				
<b>3.5</b>	<b>105</b>	<b>6</b>				
3.5	130	8	20.9	19.6	14.5	<b>110</b>
3.5	135	8	19.1	20	16.1	<b>111</b>
4.5	110	9	20.5	20.6	14.9	<b>137</b>
4.5	115	8	20.2	19.6	19	<b>128</b>
4.5	120	11	20.8	20.5	14.7	<b>133</b>
4.5	145	8	23.4	23.4	18	<b>140</b>
<b>5.5</b>	<b>130</b>	<b>7.0</b>	<b>16</b>	<b>17.5</b>	<b>15.1</b>	
<b>5.5</b>	<b>110</b>	<b>6</b>				
5.5	130	9	23.4	23.5	18	<b>143</b>
5.5	110	11	20.8	20.6	15.1	<b>143</b>
6.5	140	10	22.8	22.2	17.8	<b>140</b>

Deer in bold were harvested as "Cull Bucks"

Averages

<b>4.1</b>	<b>123.3</b>	<b>8.4</b>	<b>20.8</b>	<b>20.8</b>	<b>16.3</b>	<b>131.7</b>
			<b>Mature Buck Ave</b>			<b>138</b>

2010 Buck Harvest Data  
Angelo State University

Age	Weight	Points	Left Beam	Right Beam	Spread
1.5	80	2			
1.5	60	2			
1.5	75	2			
1.5	75	2			
1.5	75	3			
1.5	75	2			
1.5	75	2			
1.5	85	2			
1.5	70	2			
2.5	75	4			
2.5	70	2			
2.5	80	3			
2.5	100	6			
3.5	100	6			
3.5	110	6			
3.5	110	8	21.0	20.4	17.4
3.5	115	7	18.6	20.1	16.2
3.5	125	8	19.8	20.8	15.5
3.5	120	10	20.3	21.2	19.2
3.5	120	8	19.2	18.8	16
4.5	120	9	22.7	21.5	16.5
5.5	135	9	21.8	21.5	16.5
5.5	125	8	24	23	19.4
5.5	125	8	22	22	15.4
5.5	120	11.0	20	20.2	21.0
5.5	125	8	18.6	18	15.8
6.5	145	8	23	22.7	17.5

Deer in bold were harvested as "Cull Bucks"

Averages

**3.2      99.6      5.5                      20.9                      20.9      17.2**

Mature Averages

2011 Buck Harvest Data  
Angelo State University

Age	Weight	Points	Left Beam	Right Beam	Spread
1.5	75	2			
1.5	75	2			
1.5	65	2			
1.5	65	2			
1.5	65	2			
1.5	75	2			
1.5	65	2			
1.5	75	2			
1.5	55	2			
1.5	65	2			
1.5	80	2			
1.5	70	2			
1.5	75	2			
1.5	85	4			
2.5	95	4			
3.5	135	8	19.2	19.4	14.2
3.5	125	9	14.5	15.2	12
4.5	135	6			
4.5	120	8	19.9	21.1	18
5.5	130	9	20.1	20	16.8
6.5	135	11	22.2	21.4	16

Deer in bold were harvested as "Cull Bucks"

averages

**2.5      88.8      4.0                      19.2                      19.4                      15.4**

**Mature averages**

<b>B &amp; C Score</b>
127
124
127
135
104
139
117
136
137
140
109
139

**127.8**

**131**

<b>B &amp; C Score</b>	
	<b>122</b>
	<b>104</b>
	<b>122</b>
	<b>128</b>
	<b>135</b>

**122**

**128.3**